



BERKELEY® SUBMERSIBLE PUMPS AND ACCESSORIES U.S. 2018 LIST PRICES

B1524BK-P • EFFECTIVE: JANUARY 1, 2018 • SUPERSEDES ALL PREVIOUS PRICE LISTS

Table of Contents

Description	Page
Certified Test Charges for Submersible Pumps	2
5TMH – 75-375 Series	3-4
6TMH – 140-450 Series	5-6
7TMH – 230-750 Series	7-8
10TMH-750-2250 GPM	9-10
6TSP – 50-100 GPM	11
6TS – 70-300 GPM	12-13
8T – 950 GPM	14
10T – 750-1900 GPM	15
Pentek® XE-6 6” Submersible Motors	16-17
Hitachi® Submersible Motors	18-21
Pentek Intellidrive™ XL	22-31
PPX Three Phase Pump Panels	31

ALL TAXES EXTRA. ALL PRICES F.O.B. FACTORY. LIST PRICES SHOWN IN U.S. DOLLARS.
PRICES SUBJECT TO CHANGE WITHOUT NOTICE. WE RESERVE THE RIGHT TO CORRECT PRICING ERRORS.

HITACHI® IS A REGISTERED TRADEMARK OF HITACHI INDUSTRIAL EQUIPMENT SYSTEMS CO., LTD
ALL OTHER BRAND OR PRODUCT NAMES ARE TRADEMARKS OR REGISTERED MARKS OF PENTAIR.

Electric Motor Drive Submersible Pumps

Performance Tests		Net Price
Part Number	Description	
CTEST01	Non-Witnessed Performance Test	\$1097 NET
CTEST02	Customer Witnessed Performance Test	

NOTES:

- Certified tests shall be factory laboratory tests conducted in accordance with the edition of ANSI/HI 1.6 and ANSI/HI 26 test standards. Test will be evaluated to Level B requirements.
- If the measured performance is within -3% to +5% of the published rating point or the customer specified rating point, the pump will be shipped along with the documentation.
- The factory reserves the right to modify the impeller diameter in order to meet the published or customer specified rating point.
- Head Capacity at the pump casing discharge and amperage draw by the motor will be provided on the certified performance curve.
- Power available for testing is 230/1/60, 230/460/3/60, 600/3/60. Customer's power requirements must match factory's power available. Pumps will be tested at synchronous motor speed.
- A copy of the pump tests will be provided to the fax number on the Customer's Purchase Order. After Customer has approved test results, pump will be shipped to location specified on Customer Purchase Order within 24-48 hours from testing completion in Pentair Delavan Lab. Pump(s) will not be held in Lab after this period.

Berkeley® 5TMH Series – Stainless Steel Impellers, Cast Iron Bowls

Flow	Pump Model	HP	Stages	Discharge	Motor Diameter	416 SS Shaft		Ion-Nitride Shaft		Weight Lbs (kg)
						Catalog Number	List Price*	Catalog Number	List Price*	
5TMH-75										
75 GPM	5TMH5-75	5	4	3" NPT	Dual Flanged 4" & 6"	B86830	\$2,419	B86830N	\$2,638	107 (49)
	5TMH7.5-75	7.5	6			B86831	3,105	B86831N	3,431	135 (61)
	5TMH10-75	10	8			B86832	3,790	B86832N	4,225	163 (74)
	5TMH15-75	15	11			B86545	4,851	B86545N	5,449	205 (93)
	5TMH20-75	20	15			B86833	6,318	B86833N	7,134	261 (118)
	5TMH25-75	25	19			B86834	7,950	B86834N	8,983	317 (144)
5TMH-110										
110 GPM	5TMH5-110	5	3	3" NPT	Dual Flanged 4" & 6"	B86636	2,284	B86636N	2,447	71 (33)
	5TMH7.5-110	7.5	5			B86637	3,099	B86637N	3,371	102 (47)
	5TMH10-110	10	6			B86638	3,508	B86638N	3,834	118 (54)
	5TMH15-110	15	10			B86639	5,139	B86639N	5,683	180 (82)
	5TMH20-110	20	13			B86640	6,361	B86640N	7,069	227 (104)
	5TMH25-110	25	16			B86641	7,586	B86641N	8,455	274 (125)
	5TMH30-110	30	18			B86642	8,401	B86642N	9,379	305 (139)
5TMH-170										
170 GPM	5TMH5-170	5	2	3" NPT	Dual Flanged 4" & 6"	B86588	1,877	B86588N	1,986	76 (35)
	5TMH7.5-170	7.5	3			B86589	2,284	B86589N	2,447	96 (44)
	5TMH10-170	10	4			B86590	2,692	B86590N	2,910	112 (51)
	5TMH15-170	15	6			B86591	3,508	B86591N	3,834	148 (68)
	5TMH20-170	20	8			B86592	4,323	B86592N	4,759	206 (94)
	5TMH25-170	25	10			B86593	5,139	B86593N	5,683	252 (115)
	5TMH30-170	30	12			B86594	5,954	B86594N	6,606	283 (129)
	5TMH40-170	40	16			B86595	7,586	B86595N	8,455	364 (166)
5TMH-250										
250 GPM	5TMH5-250	5	1	4" NPT	Dual Flanged 4" & 6"	B86552	1,577	B86552N	1,632	65 (30)
	5TMH7.5-250	7.5	2			B86553	2,066	B86553N	2,175	79 (36)
	5TMH10-250	10	2			B86554	2,066	B86554N	2,175	79 (36)
	5TMH15-250	15	3			B86555	2,610	B86555N	2,774	93 (42)
	5TMH20-250	20	5			B86843	3,915	B86843N	4,187	121 (55)
	5TMH25-250	25	6			B86844	4,567	B86844N	4,894	135 (61)
	5TMH30-250	30	7			B86845	5,220	B86845N	5,600	149 (68)
	5TMH40-250	40	10			B86846	7,177	B86846N	7,721	191 (87)
	5TMH50-250	50	12			B86847	8,482	B86847N	9,134	219 (100)
	5TMH60-250	60	14			B86848	9,787	B86848N	10,548	247 (112)

NOTE: 5TMH Series diameter = 5.625". For use in 6" and larger well casing.

*List Price includes Pump End only. For motor and control prices, refer to pages 16-31.

Berkeley® 5TMH Series – Stainless Steel Impellers, Cast Iron Bowls

Flow	Pump Model	HP	Stages	Discharge	Motor Diameter	416 SS Shaft		Ion-Nitride Shaft		Weight Lbs (kg)
						Catalog Number	List Price*	Catalog Number	List Price*	
5TMH-375										
375 GPM	5TMH5-375	5	1	4" NPT	Dual Flanged 4" & 6"	B86522	\$1,589	B86522N	\$1,643	58 (27)
	5TMH7.5-375	7.5	2			B86523	2,132	B86523N	2,241	75 (35)
	5TMH10-375	10	2			B86524	2,132	B86524N	2,241	75 (35)
	5TMH15-375	15	3			B86525	2,676	B86525N	2,840	92 (42)
	5TMH20-375	20	4			B86526	3,263	B86526N	3,480	118 (54)
	5TMH25-375	25	5			B86527	3,850	B86527N	4,122	135 (62)
	5TMH30-375	30	6			B86528	4,437	B86528N	4,764	152 (70)
	5TMH40-375	40	8			B86529	5,612	B86529N	6,047	212 (97)
	5TMH50-375	50	10			B86530	6,786	B86530N	7,329	259 (118)
5TMH60-375	60	12	B86531	7,961	B86531N	8,613	312 (142)			
5TMH-425										
425 GPM	5TMH7.5-425	7.5	1	4" NPT	Dual Flanged 4" & 6"	B86720	1,589	B86720N	1,644	35 (16)
	5TMH10-425	10	2			B86721	2,132	B86721N	2,243	51 (23)
	5TMH15-425	15	3			B86722	2,676	B86722N	2,843	67 (30)
	5TMH20-425	20	4			B86723	3,264	B86723N	3,486	83 (37)
	5TMH25-425	25	5			B86724	3,851	B86724N	4,128	99 (45)
	5TMH30-425	30	6			B86725	4,438	B86725N	4,771	116 (52)
	5TMH40-425	40	7			B86726	5,025	B86726N	5,414	133 (60)
	5TMH50-425	50	9			B86727	6,201	B86727N	6,699	167 (75)
	5TMH60-425	60	10			B86728	6,788	B86728N	7,343	184 (83)

NOTE: 5TMH Series diameter = 5.625". For use in 6" and larger well casing.

*List Price includes Pump End only. For motor and control prices, refer to pages 16-31.

Berkeley® 6TMH Series – Stainless Steel Impellers, Cast Iron Bowls

Flow	Pump Model	HP	Stages	Discharge	Motor Diameter	416 SS Shaft		Ion-Nitride Shaft		Weight Lbs (kg)	
						Catalog Number	List Price*	Catalog Number	List Price*		
6TMH-140											
140 GPM	6TMH5-140	5	2	4" NPT	Dual Flanged 4" & 6"	B86319	\$1,910	B86319N	\$2,013	65 (29.6)	
	6TMH7.5-140	7.5	3			B86320	2,705	B86320N	2,859	66 (30)	
	6TMH10-140	10	3			B86321	2,705	B86321N	2,859	64 (29.1)	
	6TMH15-140	15	5			B86322	3,660	B86322N	3,927	77 (35)	
	6TMH20-140	20	6			B86323	4,299	B86323N	4,621	74 (33.7)	
	6TMH25-140	25	8			B86324	5,307	B86324N	5,735	123 (56)	
	6TMH30-140	30	9			B86325	6,043	B86325N	6,525	122 (55.5)	
	6TMH40-140	40	12			B86326	7,310	B86326N	7,953	163 (74.1)	
	6TMH50-140	50	16			B86327	9,323	B86327N	10,179	171 (77.8)	
	6TMH60-140	60	18			B86328	10,329	B86328N	11,293	172 (78.2)	
6TMH-200											
200 GPM	6TMH5-200	5	1	4" NPT	Dual Flanged 4" & 6"	B86374	1,592	B86374N	1,643	60 (27)	
	6TMH7.5-200	7.5	1			B86375	1,592	B86375N	1,643	60 (27)	
	6TMH10-200	10	2			B86376	1,910	B86376N	2,013	79 (37)	
	6TMH15-200	15	3			B86377	2,705	B86377N	2,859	98 (45)	
	6TMH20-200	20	4			B86855	3,345	B86855N	3,563	117 (53)	
	6TMH25-200	25	5			B86856	3,854	B86856N	4,126	136 (52)	
	6TMH30-200	30	6			B86857	4,526	B86857N	4,853	155 (70)	
	6TMH40-200	40	8			B86858	5,798	B86858N	6,234	193 (88)	
	6TMH40-200	40	8			8" Flanged	B86764	6,115	B86764N	6,559	193 (88)
	6TMH50-200	50	10			Dual-Flanged 4" & 6"	B86859	6,921	B86859N	7,465	231 (105)
	6TMH50-200	50	10		8" Flanged	B86765	7,243	B86765N	7,779	231 (105)	
	6TMH60-200	60	12		Dual Flanged 4" & 6"	B86860	8,042	B86860N	8,695	269 (122)	
	6TMH60-200	60	12		8" Flanged	B86766	8,371	B86766N	9,014	269 (122)	
	6TMH75-200	75	15			B86767	10,063	B86767N	10,867	326 (148)	
	6TMH100-200	100	19			B86768	10,627	B86768N	11,644	402 (182)	

NOTE: 6TMH Series diameter = 6.5". For use in 7" and larger well casing.

*List Price includes Pump End only. For motor and control prices, refer to pages 16-31.

Berkeley® 6TMH Series – Stainless Steel Impellers, Cast Iron Bowls

Flow	Pump Model	HP	Stages	Discharge	Motor Diameter	416 SS Shaft		Ion-Nitride Shaft		Weight Lbs (kg)
						Catalog Number	List Price*	Catalog Number	List Price*	
6TMH-300										
300 GPM	6TMH5-300	5	1	4" NPT	Dual Flanged 4" & 6"	B86199	\$1,674	B86199N	\$1,730	60 (27)
	6TMH7.5-300	7.5	1			B86200	1,674	B86200N	1,730	60 (27)
	6TMH10-300	10	2			B86201	2,009	B86201N	2,121	80 (36)
	6TMH15-300	15	2			B86202	2,009	B86202N	2,121	80 (36)
	6TMH15-300	15	3			B86203	2,847	B86203N	3,014	100 (45)
	6TMH20-300	20	4			B86867	3,345	B86867N	3,563	120 (55)
	6TMH25-300	25	5			B86868	3,854	B86868N	4,126	140 (64)
	6TMH30-300	30	6			B86869	4,526	B86869N	4,852	160 (73)
	6TMH40-300	40	8			B86870	5,062	B86870N	5,443	180 (82)
	6TMH40-300	40	8			8" Flanged	B86773	6,115	B86773N	6,544
	6TMH50-300	50	9		Dual Flanged 4" & 6"	B86871	6,359	B86871N	6,848	220 (100)
	6TMH50-300	50	9		8" Flanged	B86774	6,680	B86774N	7,162	319 (144)
	6TMH60-300	60	11		Dual Flanged 4" & 6"	B86872	7,482	B86872N	8,079	260 (101)
	6TMH60-300	60	11		8" Flanged	B86775	7,807	B86775N	8,397	364 (164)
	6TMH75-300	75	13			B86776	8,935	B86776N	9,632	463 (208)
	6TMH100-300	100	18			B86777	11,754	B86777N	12,718	575 (259)
6TMH-450										
450 GPM	6TMH7.5-450	7.5	1	4" NPT	Dual Flanged 4" & 6"	B86260	1,592	B86260N	1,646	58 (26)
	6TMH10-450	10	1			B86261	1,592	B86261N	1,646	58 (26)
	6TMH15-450	15	2			B86262	1,910	B86262N	2,017	80 (36)
	6TMH20-450	20	3			B86878	2,707	B86878N	2,871	102 (46)
	6TMH25-450	25	3			B86264	2,705	B86264N	2,871	102 (46)
	6TMH30-450	30	4			B86879	3,213	B86879N	3,427	124 (56)
	6TMH40-450	40	5			B86880	3,660	B86880N	3,927	146 (66)
	6TMH40-450	40	5			8" Flanged	B86782	3,981	B86782N	4,249
	6TMH50-450	50	6		Dual Flanged 4" & 6"	B86881	4,292	B86881N	4,613	168 (76)
	6TMH50-450	50	6		8" Flanged	B86783	4,617	B86783N	4,950	247 (111)
	6TMH60-450	60	8		Dual Flanged 4" & 6"	B86882	5,299	B86882N	5,728	212 (96)
	6TMH60-450	60	8		8" Flanged	B86784	5,634	B86784N	6,078	290 (131)
	6TMH75-450	75	10			B86785	6,652	B86785N	7,206	333 (150)
	6TMH100-450	100	13			B86786	8,177	B86786N	8,898	451 (203)

NOTE: 6TMH Series diameter = 6.5". For use in 7" and larger well casing.

*List Price includes Pump End only. For motor and control prices, refer to pages 16-31.

Berkeley® 7TMH Series – Stainless Steel Impellers, Cast Iron Bowls

Flow	Pump Model	HP	Stages	Discharge	Motor Diameter	416 SS Shaft		Ion-Nitride Shaft		Weight Lbs (kg)
						Catalog Number	List Price*	Catalog Number	List Price*	
7TMH-230										
230 GPM	7TMH7.5-230	7.5	1	5/6" NPT	6" Flanged	B87034	\$2,394	B87034N	\$2,449	71 (32)
	7TMH10-230	10	1			B87035	2,394	B87035N	2,449	71 (32)
	7TMH15-230	15	2			B87036	3,119	B87036N	3,230	102 (46)
	7TMH20-230	20	3			B87037	3,844	B87037N	4,010	134 (60)
	7TMH25-230	25	3			B87038	3,844	B87038N	4,010	135 (61)
	7TMH30-230	30	4			B87039	4,654	B87039N	4,876	166 (75)
	7TMH40-230	40	6			B87040	6,786	B87040N	7,118	229 (104)
	7TMH40-230	40	6		8" Flanged	B87045	7,106	B87045N	7,439	236 (106)
	7TMH50-230	50	6		6" Flanged	B87041	6,786	B87041N	7,118	230 (104)
	7TMH50-230	50	6		8" Flanged	B87046	7,106	B87046N	7,439	237 (107)
	7TMH60-230	60	7		6" Flanged	B87044	7,638	B87044N	8,027	262 (118)
	7TMH60-230	60	7		8" Flanged	B87047	7,959	B87047N	8,347	269 (121)
	7TMH75-230	75	9			B87048	9,664	B87048N	10,163	333 (150)
	7TMH100-230	100	13			B87049	13,076	B87049N	13,796	460 (207)
7TMH-350										
350 GPM	7TMH10-350	10	1	5/6" NPT	6" Flanged	B87009	2,394	B87009N	2,449	68 (31)
	7TMH20-350	20	2			B87010	3,119	B87010N	3,230	97 (44)
	7TMH30-350	30	3			B87011	3,844	B87011N	4,010	127 (57)
	7TMH40-350	40	4			B87012	4,654	B87012N	4,876	156 (70)
	7TMH40-350	40	4		8" Flanged	B87015	4,974	B87015N	5,195	162 (73)
	7TMH50-350	50	5		6" Flanged	B87013	5,667	B87013N	5,944	186 (84)
	7TMH50-350	50	5		8" Flanged	B87016	5,986	B87016N	6,263	192 (86)
	7TMH60-350	60	6		6" Flanged	B87014	6,786	B87014N	7,118	215 (97)
	7TMH60-350	60	6		8" Flanged	B87017	7,106	B87017N	7,439	222 (100)
	7TMH75-350	75	7			B87018	7,959	B87018N	8,347	251 (113)
	7TMH100-350	100	10			B87019	10,517	B87019N	11,071	340 (153)

*List Price includes Pump End only. For motor and control prices, refer to pages 16-31.

Berkeley® 7TMH Series – Stainless Steel Impellers, Cast Iron Bowls

Flow	Pump Model	HP	Stages	Discharge	Motor Diameter	Catalog Number	List Price	Ion-Nitride Shaft		Weight LBS. (kg)
								Catalog Number	List Price*	
7TMH-500										
500 GPM	7TMH10-500	10	1	5/6" NPT	6" Flanged	B86932	\$2,394	B86932N	\$2,449	88 (40)
	7TMH15-500	15	1			B86933	2,394	B86933N	2,449	89 (40)
	7TMH25-500	25	2			B86935	3,119	B86935N	3,230	126 (57)
	7TMH30-500	30	2			B86936	3,119	B86936N	3,230	127 (57)
	7TMH40-500	40	3			B86937	3,844	B86937N	4,010	157 (71)
	7TMH40-500	40	3		8" Flanged	B86947	4,163	B86947N	4,330	195 (88)
	7TMH50-500	50	4		6" Flanged	B86938	4,654	B86938N	4,876	205 (92)
	7TMH50-500	50	4		8" Flanged	B86948	4,974	B86948N	5,195	211 (95)
	7TMH60-500	60	5		6" Flanged	B86939	5,667	B86939N	5,944	235 (106)
	7TMH60-500	60	5		8" Flanged	B86949	5,986	B86949N	6,263	255 (115)
	7TMH75-500	75	6			B86950	7,106	B86950N	7,439	285 (128)
7TMH100-500	100	8	B86951	8,812		B86951N	9,255	346 (158)		
7TMH-750										
750 GPM	7TMH30-750	30	2	5/6" NPT	6" Flanged	B86900	3,119	B86900N	3,230	182 (82)
	7TMH40-750	40	3			B86901	3,844	B86901N	4,010	142 (64)
	7TMH40-750	40	3		8" Flanged	B86906	4,163	B86906N	4,330	225 (101)
	7TMH50-750	50	3		6" Flanged	B86902	3,844	B86902N	4,010	182 (82)
	7TMH50-750	50	3		8" Flanged	B86908	4,163	B86908N	4,330	225 (101)
	7TMH60-750	60	4		6" Flanged	B86903	4,654	B86903N	4,876	240 (108)
	7TMH60-750	60	4		8" Flanged	B86909	4,974	B86909N	5,195	265 (119)
	7TMH75-750	75	5			B86910	5,986	B86910N	6,263	305 (137)
	7TMH100-750	100	6			B86911	7,106	B86911N	7,439	345 (155)

*List Price includes Pump End only. For motor and control prices, refer to pages 16-31.

Berkeley® 10TMH Series – Stainless Steel Impellers, Cast Iron Bowls

Flow	Pump Model	HP	Stages	Discharge	Motor Diameter	416 SS Shaft		Weight Lbs (kg)
						Catalog Number	List Price*	
10TMH-750								
750 GPM	10TMH60-750	60	1	8" NPT	8"	B87080	\$3,150	273
	10TMH75-750	75	1			B87164	3,150.	273
	10TMH100-750	100	2			B87081	4,136	359
	10TMH125-750	125	2			B87082	4,136	361
	10TMH150-750	150	3			B87083	5,526	429
	10TMH175-750	175	3		10" Mtr, "A" Register	B87084	5,526	440
	10TMH175-750	175	3		10" Mtr, "B" Register	B87085	5,526	438
	10TMH200-750	200	4		10" Mtr, "A" Register	B87086	6,497	508
	10TMH200-750	200	4		10" Mtr, "B" Register	B87087	6,497	506
10TMH-1000								
1000 GPM	10TMH60-1000	60	1	8 NPT	8"	B87099	3,150	273
	10TMH75-1000	75	1			B87100	3,150	274
	10TMH100-1000	100	2			B87101	4,543	274
	10TMH125-1000	125	2			B87102	4,543	363
	10TMH150-1000	150	2			B87103	4,543	364
	10TMH175-1000	175	3		10" Mtr, "A" Register	B87104	4,543	444
	10TMH175-1000	175	3		10" Mtr, "B" Register	B87105	5,526	442
	10TMH200-1000	200	3		10" Mtr, "A" Register	B87106	5,526	445
	10TMH200-1000	200	3		10" Mtr, "B" Register	B87107	5,526	443
10TMH-1350								
1350 GPM	10TMH75-1350	75	1	8" NPT	8"	B87116	3,150	274
	10TMH100-1350	100	1			B87117	3,150	275
	10TMH125-1350	125	2			B87118	4,136	363
	10TMH150-1350	150	2			B87119	4,136	364
	10TMH175-1350	175	2		10" Mtr, "A" Register	B87120	4,136	374
	10TMH175-1350	175	2		10" Mtr, "B" Register	B87121	4,136	372
	10TMH200-1350	200	3		10" Mtr, "A" Register	B87122	5,526	446
	10TMH200-1350	200	3		10" Mtr, "B" Register	B87123	5,526	444
10TMH-1750								
1750 GPM	10TMH75-1750	75	1	8" NPT	8"	B87132	3,120	270
	10TMH100-1750	100	1			B87133	3,120	271
	10TMH125-1750	125	1			B87134	3,120	271
	10TMH150-1750	150	2			B87135	4,543	359
	10TMH175-1750	175	2		10" Mtr, "A" Register	B87136	4,543	368
	10TMH175-1750	175	2		10" Mtr, "B" Register	B87137	4,543	366
	10TMH200-1750	200	2		10" Mtr, "A" Register	B87138	4,543	369
	10TMH200-1750	200	2		10" Mtr, "B" Register	B87139	4,543	367

Berkeley® 10TMH Series – Stainless Steel Impellers, Cast Iron Bowls

Flow	Pump Model	HP	Stages	Discharge	Motor Diameter	416 SS Shaft		Weight Lbs (kg)
						Catalog Number	List Price*	
10TMH-2250								
2250 GPM	10TMH75-2250	75	1	8" NPT	8"	B87148	\$3,120	267
	10TMH100-2250	100	1			B87149	3,120	268
	10TMH125-2250	125	1			B87150	3,120	268
	10TMH150-2250	150	2			B87151	4,543	353
	10TMH175-2250	175	2		10" Mtr, "A" Register	B87152	4,543	363
	10TMH175-2250	175	2		10" Mtr, "B" Register	B87153	4,543	361
	10TMH200-2250	200	2		10" Mtr, "A" Register	B87154	4,543	364
	10TMH200-2250	200	2		10" Mtr, "B" Register	B87155	4,543	362

Berkeley® 6TSP – Stainless Steel Pump Sleeve, Noryl® Impellers

Flow	Pump Model	HP	Stages	Discharge	Motor Diameter	Catalog Number	List Price*	Weight (Lbs)
50 GPM	6TSP1.5-50	1-1/2	3	3"	4"	B86101	\$1,226	30
	6TSP2-50	2	4			B86102	1,277	31
	6TSP3-50	3	5			B86103	1,367	32
	6TSP5-50	5	8		4" & 6"	B86104	1,629	36
	6TSP7.5-50	7-1/2	11			B86105	1,924	40
	6TSP10-50	10	15			B86106	2,273	46
	6TSP15-50	15	24			B86107	2,797	58
75 GPM	6TSP3-75	3	3	3"	4"	B86108	1,295	30
	6TSP5-75	5	5		4" & 6"	B86109	1,594	32
	6TSP7.5-75	7-1/2	7			B86110	1,771	35
	6TSP10-75	10	9			B86111	1,924	38
	6TSP15-75	15	13			B86112	2,204	43
	6TSP20-75	20	17			B86113	2,557	48
	6TSP25-75	25	23			B86114	3,115	54
100 GPM	6TSP5-100	5	3	3"	4"	B86115	1,791	32
	6TSP7.5-100	7-1/2	5		4" & 6"	B86116	1,822	32
	6TSP10-100	10	6			B86117	1,963	34
	6TSP15-100	15	9			B86118	2,415	38
	6TSP20-100	20	13			B86119	2,606	43
	6TSP25-100	25	16			B86120	2,800	47

*List Price includes Pump End only. For motor and control prices, refer to pages 16-31.

Noryl® is a registered trademark of General Electric Company.
 All other brand or product names are trademarks or registered trademarks of Pentair.

Berkeley® 6TS – Stainless Steel Impellers, Stainless Steel Bowls

Flow	Pump Model	HP	Stage(s)	Discharge (Female)	Motor Diameter	With Check Valve	Without Check Valve	List Price*	Weight (lbs.)
70 GPM	6TS1-70	1	1	3"	4"	B85939	B85951	\$1,002	26
	6TS2-70	2	2			B85940	B85952	1,227	28
	6TS3-70	3	3			B85941	B85953	1,451	30
	6TS5-70	5	5			B85942	B85954	1,636	30
	6TS5-70	5	5		6"	B85943	B85955	1,636	34
	6TS7.5-70	7-1/2	8		4"	B85944	B85956	2,412	34
	6TS7.5-70	7-1/2	8		6"	B85945	B85957	2,412	38
	6TS10-70	10	11		4"	B85946	B85958	3,069	38
	6TS10-70	10	11		6"	B85947	B85959	3,069	46
	6TS15-70	15	16			B85948	B85960	3,896	54
	6TS20-70	20	22			B85949	B85961	5,006	62
	6TS25-70	25	25			B85950	B85962	5,654	70
90 GPM	6TS5-90	5	3	3"	4"	B85917	B85927	1,431	30
	6TS5-90	5	3		6"	B85918	B85928	1,431	31
	6TS7.5-90	7-1/2	5		4"	B85919	B85929	1,628	35
	6TS7.5-90	7-1/2	5		6"	B85920	B85930	1,628	35
	6TS10-90	10	7		4"	B85921	B85931	2,392	39
	6TS10-90	10	7		6"	B85922	B85932	2,392	41
	6TS15-90	15	11			B85923	B85933	3,067	46
	6TS20-90	20	15			B85924	B85934	3,904	54
	6TS25-90	25	18			B85925	B85935	4,547	56
	6TS30-90	30	22		B85926	B85936	5,044	62	
115 GPM	6TS2-115	2	1	3"	4"	B85963	B85975	1,236	24
	6TS5-115	5	2		4"	B85964	B85976	1,544	29
	6TS5-115	5	2		6"	B85965	B85977	1,544	29
	6TS7.5-115	7-1/2	4		4"	B85966	B85978	2,177	40
	6TS7.5-115	7-1/2	4		6"	B85967	B85979	2,177	40
	6TS10-115	10	5		4"	B85968	B85980	2,517	47
	6TS10-115	10	5		6"	B85969	B85981	2,517	47
	6TS15-115	15	8			B85970	B85982	3,490	62
	6TS20-115	20	11			B85971	B85983	4,153	79
	6TS25-115	25	14			B85972	B85984	5,121	90
	6TS30-115	30	17			B85973	B85985	6,108	105
	6TS40-115	40	23			B85974	B85986	7,728	129
140 GPM	6TS3-140	3	1	3"	4"	B80547	B80943	1,227	24
	6TS5-140	5	2		4"	B80548	B80944	1,836	26
	6TS5-140	5	2		6"	B80549	B80945	1,836	26
	6TS7.5-140	7-1/2	3		4"	B80550	B80946	2,115	29
	6TS7.5-140	7-1/2	3		6"	B80551	B80947	2,115	29
	6TS10-140	10	4		4"	B80552	B80948	2,452	31
	6TS10-140	10	4		6"	B80553	B80949	2,452	31
	6TS15-140	15	7			B80554	B80950	3,307	39
	6TS20-140	20	9			B80555	B80951	3,860	43
	6TS25-140	25	12			B80556	B80952	4,715	51
	6TS30-140	30	14			B80557	B80953	5,705	56
	6TS40-140	40	19			B80558	B80954	7,142	68
	6TS50-140	50	24			B80559	B80955	9,001	80

*List Price includes Pump End only. For motor and control prices, refer to pages 16-31.

Berkeley® 6TS – Stainless Steel Impellers, Stainless Steel Bowls

Flow	Pump Model	HP	Stage(s)	Discharge (Female)	Motor Diameter	With Check Valve	Without Check Valve	List Price*	Weight (lbs.)
155 GPM	6TS3-155	3	1	3"	4"	B85987	B86001	\$1,374	24
	6TS5-155	5	2		4"	B85988	B86002	1,728	29
	6TS5-155	5	2		6"	B85989	B86003	1,728	29
	6TS7.5-155	7-1/2	3		4"	B85990	B86004	2,087	35
	6TS7.5-155	7-1/2	3		6"	B85991	B86005	2,087	35
	6TS10-155	10	4		4"	B85992	B86006	2,441	40
	6TS10-155	10	4		6"	B85993	B86007	2,441	40
	6TS15-155	15	6			B85994	B86008	3,211	51
	6TS20-155	20	8			B85995	B86009	3,970	62
	6TS25-155	25	10			B85996	B86010	4,716	73
	6TS30-155	30	12			B85997	B86011	5,484	84
	6TS40-155	40	16			B85998	B86012	6,994	106
	6TS50-155	50	20			B85999	B86013	8,506	128
	6TS60-155	60	22			B86000	B86014	9,302	139
230 GPM	6TS3-230	3	1	4"	4"	B86015	B86029	1,357	40
	6TS5-230	5	1		4"	B86016	B86030	1,357	44
	6TS5-230	5	1		6"	B86017	B86031	1,357	44
	6TS7.5-230	7-1/2	2		4"	B86018	B86032	1,763	49
	6TS7.5-230	7-1/2	2		6"	B86019	B86033	1,763	49
	6TS10-230	10	3		4"	B86020	B86034	2,170	53
	6TS10-230	10	3		6"	B86021	B86035	2,170	53
	6TS15-230	15	5			B86022	B86036	2,966	62
	6TS20-230	20	7			B86023	B86037	3,632	67
	6TS25-230	25	8			B86024	B86038	4,205	76
	6TS30-230	30	10			B86025	B86039	5,003	89
	6TS40-230	40	14			B86026	B86040	6,627	103
	6TS50-230	50	17			B86027	B86041	7,866	116
	6TS60-230	60	21			B86028	B86042	9,475	129
300 GPM	6TS5-300	5	1	4"	4"	B86043	B86056	1,391	40
	6TS5-300	5	1		6"	B86044	B86057	1,391	40
	6TS7.5-300	7-1/2	2		4"	B86045	B86058	1,830	44
	6TS7.5-300	7-1/2	2		6"	B86046	B86059	1,830	44
	6TS10-300	10	2		4"	B86047	B86060	1,830	44
	6TS10-300	10	2		6"	B86048	B86061	1,830	44
	6TS15-300	15	4			B86049	B86062	2,710	55
	6TS20-300	20	5			B86050	B86063	3,150	60
	6TS25-300	25	7			B86051	B86064	3,591	70
	6TS30-300	30	8			B86052	B86065	4,471	75
	6TS40-300	40	11			B86053	B86066	5,348	90
	6TS50-300	50	14			B86054	B86067	6,669	105
	6TS60-300	60	17			B86055	B86068	7,549	120

*List Price includes Pump End only. For motor and control prices, refer to pages 16-31.

Berkeley® 8T – Stainless Steel Impellers, Cast Iron Bowls

Flow	Pump Model	HP	Stage(s)	Discharge (Female)	Motor Diameter	Catalog Number	List Price*	Weight (lbs.)
950 GPM	8T15-950	15	1	6" F NPT	6"	B86221	\$2,396	112
	8T20-950	20	1		6"	B86222	2,396	112
	8T25-950	25	1		6"	B86223	2,396	112
	8T30-950	30	2		6"	B86224	3,192	144
	8T40-950	40	2		6"	B86225	3,192	144
	8T40-950	40	2		8"	B86226	3,192	149
	8T50-950	50	3		6"	B86227	3,992	176
	8T50-950	50	3		8"	B86228	3,992	181
	8T60-950	60	3		6"	B86229	3,992	176
	8T60-950	60	3		8"	B86230	3,992	181
	8T75-950	75	4		8"	B86231	4,788	213
	8T100-950	100	5		8"	B86232	5,585	245
	8T125-950	125	6		8"	B86233	6,382	277
	8T150-950	150	7		8"	B86234	6,963	304
	8T175-950	175	8		8"	B86235	7,739	336
8T200-950	200	10	8"	B86236	9,292	400		

*List Price includes Pump End only. For motor and control prices, refer to pages 16-31.

Berkeley® 10T – Stainless Steel Impellers, Cast Iron Bowls

Flow	Pump Model	HP	Stage(s)	Discharge (Female)	Motor Diameter	Catalog Number	List Price*	Weight (lbs.)
750 GPM	10T40-750	40	1	8" F NPT	6"	B85325	\$3,484	163
	10T40-750	40	1		8"	B82893	3,484	163
	10T50-750	50	2		6"	B85326	4,642	232
	10T50-750	50	2		8"	B82894	4,642	232
	10T60-750	60	2		6"	B85327	4,642	232
	10T60-750	60	2		8"	B82895	4,642	232
	10T75-750	75	3			B82896	5,798	302
	10T100-750	100	3			B82897	5,798	302
	10T125-750	125	4			B82898	6,960	371
	10T150-750	150	5			B82899	8,119	441
	10T175-750	175	5			B85313	8,119	441
10T200-750	200	6	B82900	9,277		510		
900 GPM	10T40-900	40	1	8" F NPT	6"	B85328	3,484	163
	10T40-900	40	1		8"	B82901	3,484	163
	10T50-900	50	1		6"	B85329	3,484	163
	10T50-900	50	1		8"	B82902	3,484	163
	10T75-900	75	2			B82903	4,642	232
	10T100-900	100	2			B82904	4,642	232
	10T125-900	125	3			B82905	5,798	302
	10T150-900	150	3			B82906	5,798	302
	10T175-900	175	4			B85314	6,960	371
10T200-900	200	4	B82907	6,960		371		
1200 GPM	10T50-1200	50	1	8" F NPT	6"	B85330	3,484	163
	10T50-1200	50	1		8"	B82908	3,484	163
	10T60-1200	60	1		6"	B85331	3,484	163
	10T60-1200	60	1		8"	B82909	3,484	163
	10T75-1200	75	1			B82910	3,484	163
	10T100-1200	100	2			B82911	4,642	232
	10T125-1200	125	2			B82912	4,642	232
	10T150-1200	150	2			B82913	4,642	232
	10T175-1200	175	3			B85315	5,798	302
10T200-1200	200	3	B82914	5,798		302		
1600 GPM	10T50-1600	50	1	8" F NPT	6"	B86281	3,466	168
	10T60-1600	60	1		8"	B85332	3,557	168
	10T60-1600	60	1			B82915	3,557	168
	10T75-1600	75	1			B82916	3,557	168
	10T100-1600	100	2			B82917	4,788	240
	10T125-1600	125	2			B82918	4,788	240
	10T150-1600	150	3			B82919	6,017	312
	10T175-1600	175	3			B85316	6,017	312
10T200-1600	200	4	B82920	7,248	384			
1900 GPM	10T60-1900	60	1	8" F NPT	8"	B85468	3,708	168
	10T75-1900	75	1			B85469	3,708	168
	10T100-1900	100	1			B85470	3,708	168
	10T125-1900	125	2			B85471	5,086	240
	10T150-1900	150	2			B85472	5,086	240
	10T175-1900	175	2			B85473	5,086	240
10T200-1900	200	3	B85474	6,464	312			

*List Price includes Pump End only. For motor and control prices, refer to pages 16-31.



SUBMERSIBLE MOTORS AND CONTROLS

MOTOR AGF

CONTROL BOX WSM

REPLACEMENT MOTOR LEADS AGH

Pentek® XE-6 6" Submersible Motors

6", Three Phase, 2 pole, 3450 RPM				
Catalog Number	Description	WT. LBS. Motor Only	WT. LBS. Motor + Crate	List Price
200V				
P60A0050A8	PENTEK XE-6 6" 5HP 200V 3PH 60HZ MOTOR	87	115	\$2,020
P60A0075A8	PENTEK XE-6 6" 7.5HP 200V 3PH 60HZ MOTOR	97	127	2,330
P60A0100A8	PENTEK XE-6 6" 10HP 200V 3PH 60HZ MOTOR	104	134	2,754
P60A0150A8	PENTEK XE-6 6" 15HP 200V 3PH 60HZ MOTOR	117	151	3,181
P60A0200A8	PENTEK XE-6 6" 20HP 200V 3PH 60HZ MOTOR	132	166	3,916
P60A0250A8	PENTEK XE-6 6" 25HP 200V 3PH 60HZ MOTOR	144	180	4,553
P60A0300A8	PENTEK XE-6 6" 30HP 200V 3PH 60HZ MOTOR	165	207	5,283
230V				
P60A0050A3	PENTEK XE-6 6" 5HP 230V 3PH 60HZ MOTOR	87	115	2,020
P60A0075A3	PENTEK XE-6 6" 7.5HP 230V 3PH 60HZ MOTOR	97	127	2,330
P60A0100A3	PENTEK XE-6 6" 10HP 230V 3PH 60HZ MOTOC	104	134	2,754
P60A0150A3	PENTEK XE-6 6" 15HP 230V 3PH 60HZ MOTOR	117	151	3,181
P60A0200A3	PENTEK XE-6 6" 20HP 230V 3PH 60HZ MOTOR	132	166	3,916
P60A0250A3	PENTEK XE-6 6" 25HP 230V 3PH 60HZ MOTOR	144	180	4,553
P60A0300A3	PENTEK XE-6 6" 30HP 230V 3PH 60HZ MOTOR	165	207	5,283
460V				
P60A0050A4	PENTEK XE-6 6" 5HP 460V 3PH 60HZ MOTOR	87	115	2,020
P60A0075A4	PENTEK XE-6 6" 7.5HP 460V 3PH 60HZ MOTOR	97	127	2,330
P60A0100A4	PENTEK XE-6 6" 10HP 460V 3PH 60HZ MOTOR	104	134	2,754
P60A0150A4	PENTEK XE-6 6" 15HP 460V 3PH 60HZ MOTOR	117	151	3,181
P60A0200A4	PENTEK XE-6 6" 20HP 460V 3PH 60HZ MOTOR	132	166	3,916
P60A0250A4	PENTEK XE-6 6" 25HP 460V 3PH 60HZ MOTOR	144	180	4,553
P60A0300A4	PENTEK XE-6 6" 30HP 460V 3PH 60HZ MOTOR	165	207	5,283
P60A0400A4	PENTEK XE-6 6" 40HP 460V 3PH 60HZ MOTOR	187	229	6,442
P60A0500A4	PENTEK XE-6 6" 50HP 460V 3PH 60HZ MOTOR	265	319	8,107
575V				
P60A0050A5	PENTEK XE-6 6" 5HP 575V 3PH 60HZ MOTOR	87	115	2,020
P60A0075A5	PENTEK XE-6 6" 7.5HP 575V 3PH 60HZ MOTOR	97	127	2,330
P60A0100A5	PENTEK XE-6 6" 10HP 575V 3PH 60HZ MOTOR	104	134	2,754
P60A0150A5	PENTEK XE-6 6" 15HP 575V 3PH 60HZ MOTOR	117	151	3,181
P60A0200A5	PENTEK XE-6 6" 20HP 575V 3PH 60HZ MOTOR	132	166	3,916
P60A0250A5	PENTEK XE-6 6" 25HP 575V 3PH 60HZ MOTOR	144	180	4,553
P60A0300A5	PENTEK XE-6 6" 30HP 575V 3PH 60HZ MOTOR	165	207	5,283
P60A0400A5	PENTEK XE-6 6" 40HP 575V 3PH 60HZ MOTOR	187	229	6,442

Pentek® XE-6 6" Submersible Motors

6", Single Phase, 2 pole, 3450 RPM					Control Box				
Catalog Number	Description	WT. LBS. Motor Only	WT. LBS. Motor + Crate	List Price	Catalog Number	Description	WT. LBS. Control Box	WT. LBS. Control Box & Package	List Price
P60A0050A2	PENTEK XE-6 6" 5HP 230V 1PH 60HZ MOTOR	104	134	\$2,164	PTKX-5SCB	PENTEK CONTROL BOX 6IN 1PH 5HP	30	32	\$658
P60A0075A2	PENTEK XE-6 6" 7.5HP 230V 1PH 60HZ MOTOR	117	151	2,587	PTKX-7SCB	PENTEK CONTROL BOX 6IN 1PH 7.5HP	31	33	824
P60A0100A2	PENTEK XE-6 6" 10HP 230V 1PH 60HZ MOTOR	132	166	2,969	PTKX-10SCB	PENTEK CONTROL BOX 6IN 1PH 10HP	32	34	1,203
P60A0150A2	PENTEK XE-6 6" 15HP 230V 1PH 60HZ MOTOR	144	178	3,948	PTKX-15SCB	PENTEK CONTROL BOX 6IN 1PH 15HP	33.5	36	1,690

NOTE: Pentek XE-6 single phase motors must use the corresponding Pentek control box. Use of any other control box will void the warranty.

Replacement Motor Leads			
Catalog Number	Description	WT. LBS.	List Price
PTKXE6-RMLD-10	PENTEK XE MTR LEAD 5-25HP	6	\$238
PTKXE6-RMLD-8	PENTEK XE MTR LEAD 30-50HP	10	331

4" Submersible Accessory		
Catalog Number	Description	List Price
PKG 4x6	FMB6006892B03 4X6 MOTOR/PUMP ADAPTER	\$ 542



Hitachi® 6" Submersible Motors

6", Single Phase, 230 Volt, 2 pole, 3600 RPM			
Catalog Number	Description	WT. LBS.	List Price
6HIT2-5-1	HITACHI 6" 5HP 230V 1PH MOTOR	121	\$2,341
6HIT2-7-1	HITACHI 6" 7.5HP 230V 1PH MOTOR	134	2,752
6HIT2-10-1	HITACHI 6" 10HP 230V 1PH MOTOR	139	3,084
6HIT2-15-1	HITACHI 6" 15HP 230V 1PH MOTOR	154	4,001
Deluxe Control Box*			
HIT-5CBD	HITACHI CONTROL BOX 5HP 1PH DELUXE	14	791
HIT-7.5CBD	HITACHI CONTROL BOX 7.5HP 1PH DELUXE	14	930
HIT-10CBD	HITACHI CONTROL BOX 10HP 1PH DELUXE	27	1,370
HIT-15CBD	HITACHI CONTROL BOX 15HP 1PH DELUXE	28	1,642

* Includes magnetic contactor. NOTE: Hitachi single phase motors must use a Hitachi control box. Use of any other control box will void the warranty.

Voltage Plug for converting between 230 and 460 Volts.		
For 30 HP and lower 6" motors only.		
Catalog Number	Description	List Price
S33591	VOLTAGE PLUG 5-30HP 230 VOLT HITACHI	\$105
S33592	VOLTAGE PLUG 5-30HP 460 VOLT HITACHI	105

Replacement Motor Leads		
6" Canned motors only. 150" Lead Lengths		
Catalog Number	Description	List Price
HIT-RMLD-10	HITACHI MTR LEAD 5-25 HP AND 40 HP	\$445
HIT-RMLD-8	HITACHI MTR LEAD 30, 50, 60 HP	539

Hitachi® 6" Submersible Motors

6", Three Phase, 200, 230 & 460 Volt, 2 pole, 3600 RPM			
Catalog Number	Description	WT. LBS.	List Price
200V			
6HIT2-5-8	HITACHI 6" 5HP 200V 3PH MOTOR	95	\$2,222
6HIT2-7-8	HITACHI 6" 7.5HP 200V 3PH MOTOR	99	2,595
6HIT2-10-8	HITACHI 6" 10HP 200V 3PH MOTOR	110	2,905
6HIT2-15-8	HITACHI 6" 15HP 200V 3PH MOTOR	121	3,349
6HIT2-20-8	HITACHI 6" 20HP 200V 3PH MOTOR	128	4,119
6HIT2-25-8	HITACHI 6" 25HP 200V 3PH MOTOR	150	4,789
6HIT2-30-8	HITACHI 6" 30HP 200V 3PH MOTOR	161	5,558
230V			
6HIT2-5-2	HITACHI 6" 5HP 230V 3PH MOTOR	95	2,158
6HIT2-7-2	HITACHI 6" 7.5HP 230V 3PH MOTOR	99	2,595
6HIT2-10-2	HITACHI 6" 10HP 230V 3PH MOTOR	110	2,905
6HIT2-15-2	HITACHI 6" 15HP 230V 3PH MOTOR	121	3,349
6HIT2-25-2	HITACHI 6" 25HP 230V 3PH MOTOR	150	4,789
6HIT2-30-2	HITACHI 6" 30HP 230V 3PH MOTOR	161	5,558
6" , 460V			
6HIT2-5-4	HITACHI 6" 5HP 460V 3PH MOTOR	95	2,222
6HIT2-7-4	HITACHI 6" 7.5HP 460V 3PH MOTOR	99	2,595
6HIT2-10-4	HITACHI 6" 10HP 460V 3PH MOTOR	110	2,905
6HIT2-15-4	HITACHI 6" 15HP 460V 3PH MOTOR	121	3,349
6HIT2-20-4	HITACHI 6" 20HP 460V 3PH MOTOR	128	4,119
6HIT2-25-4	HITACHI 6" 25HP 460V 3PH MOTOR	150	4,789
6HIT2-30-4	HITACHI 6" 30HP 460V 3PH MOTOR	161	5,558
6HIT2-40-4	HITACHI 6" 40HP 460V 3PH MOTOR	176	6,682
6HIT2-50-4	HITACHI 6" 50HP 460V 3PH MOTOR	200	8,851
6HIT2-60-4	HITACHI 6" 60HP 460V 3PH MOTOR	231	10,853
8"x6", 460V			
86HIT2-50-4	HITACHI 8" X 6" 50HP 460V 3PH MOTOR**	231	9,988
86HIT2-60-4	HITACHI 8" X 6" 60HP 460V 3PH MOTOR**	238	12,283

**Note: Select drives by service factor amps of pump motor

Hitachi® 6"-8" High Temperature Submersible Motors

Catalog Number	Description	WT. LBS.	List Price
6", Three Phase, 460 Volt, 2 pole, 3600 RPM, High Temperature			
6HITS2-7-4-HT	6" 7.5 HP 3/60/460V HIGH TEMPERATURE	99	\$4,005
6HITS2-10-4-HT	6" 10 HP 3/60/460V HIGH TEMPERATURE	110	4,814
6HITS2-15-4-HT	6" 15 HP 3/60/460V HIGH TEMPERATURE	128	5,526
6HITS2-20-4-HT	6" 20 HP 3/60/460V HIGH TEMPERATURE	137	6,332
6HITS2-25-4-HT	6" 25 HP 3/60/460V HIGH TEMPERATURE	161	7,530
6HITS2-30-4-HT	6" 30 HP 3/60/460V HIGH TEMPERATURE	176	9,461
8", Three Phase, 460 Volt, 2 pole, 3600 RPM, High Temperature			
8HITS2-40-4-HT	8" 40 HP 3/60/460V HIGH TEMPERATURE	353	14,908
8HITS2-50-4-HT	8" 50 HP 3/60/460V HIGH TEMPERATURE	408	16,094
8HITS2-60-4-HT	8" 60 HP 3/60/460V HIGH TEMPERATURE	463	18,064
8HITS2-75-4-HT	8" 75 HP 3/60/460V HIGH TEMPERATURE	518	28,295
8HITS2-100-4-HT	8" 100 HP 3/60/460V HIGH TEMPERATURE	595	39,464
8HITS2-125-4-HT	8" 125 HP 3/60/460V HIGH TEMPERATURE	595	39,947
8" by 6", Three Phase, 460 Volt, 2 pole, 3600 RPM, High Temperature			
*86HITS2-40-4-HT	8" BY 6" 40HP 3/60/460V HIGH TEMPERATURE	346	16,576
*86HITS2-50-4-HT	8" BY 6" 50HP 3/60/460V HIGH TEMPERATURE	401	18,868
*86HITS2-60-4-HT	8" BY 6" 60HP 3/60/460V HIGH TEMPERATURE	456	29,138

*8" master with 6" motor flange

Hitachi® 8"-14" Submersible Motors

Catalog Number	Description	WT. LBS.	List Price
8" - 12", Three Phase, 460 Volt, 2 pole, 3600 rpm			
8HIT2-40-4	HITACHI 8" 40HP 460V 3PH MOTOR	331	\$9,915
8HIT2-50-4	HITACHI 8" 50HP 460V 3PH MOTOR	353	11,370
8HIT2-60-4	HITACHI 8" 60HP 460V 3PH MOTOR	375	14,934
8HIT2-75-4	HITACHI 8" 75HP 460V 3PH MOTOR	397	16,666
8HIT2-100-4	HITACHI 8" 100HP 460V 3PH MOTOR	441	20,599
8HIT2-125-4	HITACHI 8" 125HP 460V 3PH MOTOR	450	25,565
8HIT2-150-4	HITACHI 8" 150HP 460V 3PH MOTOR	518	30,577
10HIT2-200-4	HITACHI 10" 200HP 460V 3PH MOTOR	816	60,530
10HIT2-250-4	HITACHI 10" 250HP 460V 3PH MOTOR	948	65,683
12HIT2-300-4	HITACHI 12" 300HP 460V 3PH MOTOR	1455	90,215
8" - 14", Three Phase, 460 Volt, 4 pole, 1800 rpm			
8HIT4-7-4	HITACHI 8" 1800RPM 7.5HP 460V 3PH	360	20,577
8HIT4-10-4	HITACHI 8" 1800RPM 10HP 460V 3PH	360	21,039
8HIT4-15-4	HITACHI 8" 1800RPM 15HP 460V 3PH	380	22,080
8HIT4-20-4	HITACHI 8" 1800RPM 20HP 460V 3PH	380	23,235
8HIT4-25-4	HITACHI 8" 1800RPM 25HP 460V 3PH	410	28,203
8HIT4-30-4	HITACHI 8" 1800RPM 30HP 460V 3PH	410	30,631
10HIT4-40-4	HITACHI 10" 1800RPM 40HP 460V 3PH	590	41,150
10HIT4-50-4	HITACHI 10" 1800RPM 50HP 460V 3PH	590	43,575
10HIT4-60-4	HITACHI 10" 1800RPM 60HP 460V 3PH	720	47,043
10HIT4-75-4	HITACHI 10" 1800RPM 75HP 460V 3PH	720	56,868
10HIT4-100-4	HITACHI 10" 1800RPM 100HP 460V 3PH	900	62,532
10HIT4-125-4	HITACHI 10" 1800RPM 125HP 460V 3PH	900	63,687
12HIT4-150-4	HITACHI 12" 1800RPM 150HP 460V 3PH	1050	71,314
12HIT4-200-4	HITACHI 12" 1800RPM 200HP 460V 3PH	1370	96,973
14HIT4-250-4	HITACHI 14" 1800RPM 250HP 460V 3PH	1830	124,942
14HIT4-300-4	HITACHI 14" 1800RPM 300HP 460V 3PH	2100	144,590

Pentek Intellidrive™ XL Pump Controller

Single Phase Input Drives - No Disconnect			
Catalog Number	Description	WT. LBS.	List Price
PID005012ND	VFD, NEMA 1, 5HP, 230V, 1 PH, ND	30	\$3,845
PID007512ND	VFD NEMA 1 7.5HP 230V 1 PH ND	51	4,613
PID010012ND	VFD NEMA 1 10HP 230V 1 PH ND	60	5,437
PID020012ND	VFD NEMA 1 20HP 230V 1 PH ND	99	10,265
PID030012ND	VFD NEMA 1 30HP 230V 1 PH ND	143	14,241
PID005032ND	VFD, NEMA 3R, 5HP, 230V, 1 PH, ND	30	4,086
PID007532ND	VFD NEMA 3R 7.5HP 230V 1 PH ND	51	5,354
PID010032ND	VFD NEMA 3R 10HP 230V 1 PH ND	60	6,190
PID020032ND	VFD NEMA 3R 20HP 230V 1 PH ND	99	11,493
PID030032ND	VFD NEMA 3R 30HP 230V 1 PH ND	143	15,070
PID005042ND	VFD, NEMA 4X, 5HP, 230V, 1 PH, ND	30	4,687
PID007542ND	VFD NEMA 4X 7.5HP 230V 1 PH ND	51	8,237
PID010042ND	VFD NEMA 4X 10HP 230V 1 PH ND	60	9,709
PID020042ND	VFD NEMA 4X 20HP 230V 1 PH ND	99	19,080
PID030042ND	VFD NEMA 4X 30HP 230V 1 PH ND	143	30,734

Single Phase Input Drives - With Disconnect			
Catalog Number	Description	WT. LBS.	List Price
PID005012SD	VFD, NEMA 1, 5HP, 230V, 1 PH, SD	30	\$ 4,807
PID007512SD	VFD, NEMA 1, 7.5HP, 230V, 1 PH, SD	30	4,481
PID010012SD	VFD, NEMA 1, 10HP, 230V, 1 PH, SD	53	5,331
PID020012SD	VFD, NEMA 1, 20HP, 230V, 1 PH, SD	77	10,063
PID030012SD	VFD, NEMA 1, 30HP, 230V, 1 PH, SD	110	13,973
PID005032SD	VFD, NEMA 3R, 5HP, 230V, 1 PH, SD	30	5,047
PID007532SD	VFD, NEMA 3R, 7.5HP, 230V, 1 PH, SD	30	5,249
PID010032SD	VFD, NEMA 3R, 10HP, 230V, 1 PH, SD	53	6,068
PID020032SD	VFD, NEMA 3R, 20HP, 230V, 1 PH, SD	77	11,267
PID030032SD	VFD, NEMA 3R, 30HP, 230V, 1 PH, SD	110	14,774
PID005042SD	VFD, NEMA 4X, 5HP, 230V, 1 PH, SD	30	5,648
PID007542SD	VFD, NEMA 4X, 7.5HP, 230V, 1 PH, SD	30	7,330
PID010042SD	VFD, NEMA 4X, 10HP, 230V, 1 PH, SD	53	7,811
PID020042SD	VFD, NEMA 4X, 20HP, 230V, 1 PH, SD	77	15,021
PID030042SD	VFD, NEMA 4X, 30HP, 230V, 1 PH, SD	110	22,231

Note: Select drives by service factor amps of pump motor

Pentek Intellidrive™ XL Pump Controller

NEMA 1 Enclosure - No Disconnect			
Catalog Number	Description	WT. LBS.	List Price
PID001013ND	VFD NEMA 1 1HP 230V 3 PH ND	31	\$1,310
PID002013ND	VFD NEMA 1 2HP 230V 3 PH ND	31	1,462
PID003013ND	VFD NEMA 1 3HP 230V 3 PH ND	31	1,542
PID005013ND	VFD NEMA 1 5HP 230V 3 PH ND	31	1,835
PID007513ND	VFD NEMA 1 7.5HP 230V 3 PH ND	51	2,303
PID010013ND	VFD NEMA 1 10HP 230V 3 PH ND	60	2,670
PID015013ND	VFD NEMA 1 15HP 230V 3 PH ND	30	3,597
PID020013ND	VFD NEMA 1 20HP 230V 3 PH ND	60	4,407
PID025013ND	VFD NEMA 1 25HP 230V 3 PH ND	99	5,663
PID030013ND	VFD NEMA 1 30HP 230V 3 PH ND	99	6,711
PID040013ND	VFD NEMA 1 40HP 230V 3 PH ND	99	8,507
PID050013ND	VFD NEMA 1 50HP 230V 3 PH ND	143	9,550
PID060013ND	VFD NEMA 1 60HP 230V 3 PH ND	143	11,467
PID001014ND	VFD NEMA 1 1HP 460V 3 PH ND	12	1,214
PID002014ND	VFD NEMA 1 2HP 460V 3 PH ND	12	1,302
PID003014ND	VFD NEMA 1 3HP 460V 3 PH ND	12	1,418
PID005014ND	VFD NEMA 1 5HP 460V 3 PH ND	12	1,655
PID007514ND	VFD NEMA 1 7.5HP 460V 3 PH ND	17	1,866
PID010014ND	VFD NEMA 1 10HP 460V 3 PH ND	17	2,212
PID015014ND	VFD NEMA 1 15HP 460V 3 PH ND	51	2,883
PID020014ND	VFD NEMA 1 20HP 460V 3 PH ND	51	3,631
PID025014ND	VFD NEMA 1 25HP 460V 3 PH ND	51	4,685
PID030014ND	VFD NEMA 1 30HP 460V 3 PH ND	60	5,535
PID040014ND	VFD NEMA 1 40HP 460V 3 PH ND	60	6,705
PID050014ND	VFD NEMA 1 50HP 460V 3 PH ND	99	8,521
PID060014ND	VFD NEMA 1 60HP 460V 3 PH ND	99	9,949
PID075014ND	VFD NEMA 1 75HP 460V 3 PH ND	99	11,132
PID100014ND	VFD NEMA 1 100HP 460V 3 PH ND	143	13,515
PID125014ND	VFD NEMA 1 125HP 460V 3 PH ND	143	16,229
PID001015ND	VFD NEMA 1 1HP 575V 3 PH ND	17	2,145
PID002015ND	VFD NEMA 1 2HP 575V 3 PH ND	17	2,192
PID003015ND	VFD NEMA 1 3HP 575V 3 PH ND	17	2,285
PID005015ND	VFD NEMA 1 5HP 575V 3 PH ND	17	2,353
PID007515ND	VFD NEMA 1 7.5HP 575V 3 PH ND	17	2,574
PID010015ND	VFD NEMA 1 10HP 575V 3 PH ND	17	2,928
PID015015ND	VFD NEMA 1 15HP 575V 3 PH ND	51	3,809
PID020015ND	VFD NEMA 1 20HP 575V 3 PH ND	51	4,796
PID025015ND	VFD NEMA 1 25HP 575V 3 PH ND	51	6,195
PID030015ND	VFD NEMA 1 30HP 575V 3 PH ND	60	7,319
PID040015ND	VFD NEMA 1 40HP 575V 3 PH ND	60	8,865
PID050015ND	VFD NEMA 1 50HP 575V 3 PH ND	99	11,266
PID060015ND	VFD NEMA 1 60HP 575V 3 PH ND	99	13,157
PID075015ND	VFD NEMA 1 75HP 575V 3 PH ND	99	14,720
PID100015ND	VFD NEMA 1 100HP 575V 3 PH ND	143	17,869
PID125015ND	VFD NEMA 1 125HP 575V 3 PH ND	143	21,468

Note: Select drives by service factor amps of pump motor

Pentek Intellidrive™ XL Pump Controller

NEMA 1 Enclosure - Fused Disconnect			
Catalog Number	Description	WT. LBS.	List Price
PID001013FD	VFD NEMA 1 1HP 230V 3 PH FD	15	\$2,356
PID002013FD	VFD NEMA 1 2HP 230V 3 PH FD	15	2,632
PID003013FD	VFD NEMA 1 3HP 230V 3 PH FD	15	2,773
PID005013FD	VFD NEMA 1 5HP 230V 3 PH FD	19	3,120
PID007513FD	VFD NEMA 1 7.5HP 230V 3 PH FD	51	3,620
PID010013FD	VFD NEMA 1 10HP 230V 3 PH FD	60	4,167
PID015013FD	VFD NEMA 1 15HP 230V 3 PH FD	30	5,219
PID020013FD	VFD NEMA 1 20HP 230V 3 PH FD	60	6,143
PID025013FD	VFD NEMA 1 25HP 230V 3 PH FD	99	7,714
PID030013FD	VFD NEMA 1 30HP 230V 3 PH FD	99	9,144
PID040013FD	VFD NEMA 1 40HP 230V 3 PH FD	99	11,590
PID050013FD	VFD NEMA 1 50HP 230V 3 PH FD	143	12,797
PID060013FD	VFD NEMA 1 60HP 230V 3 PH FD	143	15,002
PID001014FD	VFD NEMA 1 1HP 460V 3 PH FD	31	2,178
PID002014FD	VFD NEMA 1 2HP 460V 3 PH FD	31	2,347
PID003014FD	VFD NEMA 1 3HP 460V 3 PH FD	31	2,559
PID005014FD	VFD NEMA 1 5HP 460V 3 PH FD	31	2,816
PID007514FD	VFD NEMA 1 7.5HP 460V 3 PH FD	31	3,030
PID010014FD	VFD NEMA 1 10HP 460V 3 PH FD	31	3,376
PID015014FD	VFD NEMA 1 15HP 460V 3 PH FD	51	4,398
PID020014FD	VFD NEMA 1 20HP 460V 3 PH FD	51	5,338
PID025014FD	VFD NEMA 1 25HP 460V 3 PH FD	51	6,539
PID030014FD	VFD NEMA 1 30HP 460V 3 PH FD	60	7,484
PID040014FD	VFD NEMA 1 40HP 460V 3 PH FD	60	8,776
PID050014FD	VFD NEMA 1 50HP 460V 3 PH FD	99	11,147
PID060014FD	VFD NEMA 1 60HP 460V 3 PH FD	99	13,008
PID075014FD	VFD NEMA 1 75HP 460V 3 PH FD	99	14,559
PID100014FD	VFD NEMA 1 100HP 460V 3 PH FD	143	17,673
PID125014FD	VFD NEMA 1 125HP 460V 3 PH FD	143	21,226
PID001015FD	VFD NEMA 1 1HP 575V 3 PH FD	19	2,613
PID002015FD	VFD NEMA 1 2HP 575V 3 PH FD	19	2,698
PID003015FD	VFD NEMA 1 3HP 575V 3 PH FD	19	2,942
PID005015FD	VFD NEMA 1 5HP 575V 3 PH FD	19	3,241
PID007515FD	VFD NEMA 1 7.5HP 575V 3 PH FD	19	3,435
PID010015FD	VFD NEMA 1 10HP 575V 3 PH FD	19	3,837
PID015015FD	VFD NEMA 1 15HP 575V 3 PH FD	51	5,059
PID020015FD	VFD NEMA 1 20HP 575V 3 PH FD	51	6,145
PID025015FD	VFD NEMA 1 25HP 575V 3 PH FD	51	7,515
PID030015FD	VFD NEMA 1 30HP 575V 3 PH FD	60	8,605
PID040015FD	VFD NEMA 1 40HP 575V 3 PH FD	60	10,084
PID050015FD	VFD NEMA 1 50HP 575V 3 PH FD	99	12,808
PID060015FD	VFD NEMA 1 60HP 575V 3 PH FD	99	14,963
PID075015FD	VFD NEMA 1 75HP 575V 3 PH FD	99	16,740
PID100015FD	VFD NEMA 1 100HP 575V 3 PH FD	143	20,321
PID125015FD	VFD NEMA 1 125HP 575V 3 PH FD	143	24,413

Note: Select drives by service factor amps of pump motor

Pentek Intellidrive™ XL Pump Controller

NEMA 3R Enclosure - No Disconnect			
Catalog Number	Description	WT. LBS.	List Price
PID001033ND	VFD NEMA 3R 1HP 230V 3 PH ND	31	\$1,770
PID002033ND	VFD NEMA 3R 2HP 230V 3 PH ND	31	1,963
PID003033ND	VFD NEMA 3R 3HP 230V 3 PH ND	31	2,066
PID005033ND	VFD NEMA 3R 5HP 230V 3 PH ND	31	2,451
PID007533ND	VFD NEMA 3R 7.5HP 230V 3 PH ND	51	2,876
PID010033ND	VFD NEMA 3R 10HP 230V 3 PH ND	60	3,378
PID015033ND	VFD NEMA 3R 15HP 230V 3 PH ND	30	4,415
PID020033ND	VFD NEMA 3R 20HP 230V 3 PH ND	60	5,258
PID025033ND	VFD NEMA 3R 25HP 230V 3 PH ND	99	6,577
PID030033ND	VFD NEMA 3R 30HP 230V 3 PH ND	99	7,773
PID040033ND	VFD NEMA 3R 40HP 230V 3 PH ND	99	9,594
PID050033ND	VFD NEMA 3R 50HP 230V 3 PH ND	143	10,759
PID060033ND	VFD NEMA 3R 60HP 230V 3 PH ND	143	12,908
PID001034ND	VFD NEMA 3R 1HP 460V 3 PH ND	24	1,648
PID002034ND	VFD NEMA 3R 2HP 460V 3 PH ND	24	1,763
PID003034ND	VFD NEMA 3R 3HP 460V 3 PH ND	24	1,912
PID005034ND	VFD NEMA 3R 5HP 460V 3 PH ND	24	2,221
PID007534ND	VFD NEMA 3R 7.5HP 460V 3 PH ND	31	2,491
PID010034ND	VFD NEMA 3R 10HP 460V 3 PH ND	31	2,876
PID015034ND	VFD NEMA 3R 15HP 460V 3 PH ND	51	3,636
PID020034ND	VFD NEMA 3R 20HP 460V 3 PH ND	51	4,459
PID025034ND	VFD NEMA 3R 25HP 460V 3 PH ND	51	5,598
PID030034ND	VFD NEMA 3R 30HP 460V 3 PH ND	60	6,428
PID040034ND	VFD NEMA 3R 40HP 460V 3 PH ND	60	7,781
PID050034ND	VFD NEMA 3R 50HP 460V 3 PH ND	99	9,602
PID060034ND	VFD NEMA 3R 60HP 460V 3 PH ND	99	11,209
PID075034ND	VFD NEMA 3R 75HP 460V 3 PH ND	99	12,536
PID100034ND	VFD NEMA 3R 100HP 460V 3 PH ND	143	15,200
PID125034ND	VFD NEMA 3R 125HP 460V 3 PH ND	143	18,243
PID001035ND	VFD NEMA 3R 1HP 575V 3 PH ND	31	2,271
PID002035ND	VFD NEMA 3R 2HP 575V 3 PH ND	31	2,316
PID003035ND	VFD NEMA 3R 3HP 575V 3 PH ND	31	2,516
PID005035ND	VFD NEMA 3R 5HP 575V 3 PH ND	31	2,922
PID007535ND	VFD NEMA 3R 7.5HP 575V 3 PH ND	31	3,277
PID010035ND	VFD NEMA 3R 10HP 575V 3 PH ND	31	3,789
PID015035ND	VFD NEMA 3R 15HP 575V 3 PH ND	51	4,796
PID020035ND	VFD NEMA 3R 20HP 575V 3 PH ND	51	5,875
PID025035ND	VFD NEMA 3R 25HP 575V 3 PH ND	51	7,385
PID030035ND	VFD NEMA 3R 30HP 575V 3 PH ND	60	8,487
PID040035ND	VFD NEMA 3R 40HP 575V 3 PH ND	60	10,116
PID050035ND	VFD NEMA 3R 50HP 575V 3 PH ND	99	12,691
PID060035ND	VFD NEMA 3R 60HP 575V 3 PH ND	99	14,807
PID075035ND	VFD NEMA 3R 75HP 575V 3 PH ND	99	16,561
PID100035ND	VFD NEMA 3R 100HP 575V 3 PH ND	143	20,084
PID125035ND	VFD NEMA 3R 125HP 575V 3 PH ND	143	24,117

Note: Select drives by service factor amps of pump motor

Pentek Intellidrive™ XL Pump Controller

NEMA 3R Enclosure - Fused Disconnect			
Catalog Number	Description	WT. LBS.	List Price
PID001033FD	VFD NEMA 3R 1HP 230V 3 PH FD	31	\$2,636
PID002033FD	VFD NEMA 3R 2HP 230V 3 PH FD	31	2,945
PID003033FD	VFD NEMA 3R 3HP 230V 3 PH FD	31	3,106
PID005033FD	VFD NEMA 3R 5HP 230V 3 PH FD	31	3,493
PID007533FD	VFD NEMA 3R 7.5HP 230V 3 PH FD	51	3,917
PID010033FD	VFD NEMA 3R 10HP 230V 3 PH FD	60	4,420
PID015033FD	VFD NEMA 3R 15HP 230V 3 PH FD	30	5,455
PID020033FD	VFD NEMA 3R 20HP 230V 3 PH FD	60	6,313
PID025033FD	VFD NEMA 3R 25HP 230V 3 PH FD	99	7,928
PID030033FD	VFD NEMA 3R 30HP 230V 3 PH FD	99	9,389
PID040033FD	VFD NEMA 3R 40HP 230V 3 PH FD	99	11,907
PID050033FD	VFD NEMA 3R 50HP 230V 3 PH FD	143	13,152
PID060033FD	VFD NEMA 3R 60HP 230V 3 PH FD	143	15,416
PID001034FD	VFD NEMA 3R 1HP 460V 3 PH FD	31	2,459
PID002034FD	VFD NEMA 3R 2HP 460V 3 PH FD	31	2,633
PID003034FD	VFD NEMA 3R 3HP 460V 3 PH FD	31	2,847
PID005034FD	VFD NEMA 3R 5HP 460V 3 PH FD	31	3,156
PID007534FD	VFD NEMA 3R 7.5HP 460V 3 PH FD	31	3,426
PID010034FD	VFD NEMA 3R 10HP 460V 3 PH FD	31	3,811
PID015034FD	VFD NEMA 3R 15HP 460V 3 PH FD	51	4,572
PID020034FD	VFD NEMA 3R 20HP 460V 3 PH FD	51	5,492
PID025034FD	VFD NEMA 3R 25HP 460V 3 PH FD	51	6,714
PID030034FD	VFD NEMA 3R 30HP 460V 3 PH FD	60	7,688
PID040034FD	VFD NEMA 3R 40HP 460V 3 PH FD	60	9,040
PID050034FD	VFD NEMA 3R 50HP 460V 3 PH FD	99	11,448
PID060034FD	VFD NEMA 3R 60HP 460V 3 PH FD	99	13,369
PID075034FD	VFD NEMA 3R 75HP 460V 3 PH FD	99	14,960

Note: Select drives by service factor amps of pump motor

Pentek Intellidrive™ XL Pump Controller

NEMA 3R Enclosure - Fused Disconnect			
Catalog Number	Description	WT. LBS.	List Price
PID100034FD	VFD NEMA 3R 100HP 460V 3 PH FD	143	\$18,159
PID125034FD	VFD NEMA 3R 125HP 460V 3 PH FD	143	21,814
PID001035FD	VFD NEMA 3R 1HP 575V 3 PH FD	31	2,981
PID002035FD	VFD NEMA 3R 2HP 575V 3 PH FD	31	3,024
PID003035FD	VFD NEMA 3R 3HP 575V 3 PH FD	31	3,292
PID005035FD	VFD NEMA 3R 5HP 575V 3 PH FD	31	3,645
PID007535FD	VFD NEMA 3R 7.5HP 575V 3 PH FD	31	3,954
PID010035FD	VFD NEMA 3R 10HP 575V 3 PH FD	31	4,398
PID015035FD	VFD NEMA 3R 15HP 575V 3 PH FD	51	5,290
PID020035FD	VFD NEMA 3R 20HP 575V 3 PH FD	51	6,310
PID025035FD	VFD NEMA 3R 25HP 575V 3 PH FD	51	7,729
PID030035FD	VFD NEMA 3R 30HP 575V 3 PH FD	60	8,838
PID040035FD	VFD NEMA 3R 40HP 575V 3 PH FD	60	10,367
PID050035FD	VFD NEMA 3R 50HP 575V 3 PH FD	99	13,164
PID060035FD	VFD NEMA 3R 60HP 575V 3 PH FD	99	15,379
PID075035FD	VFD NEMA 3R 75HP 575V 3 PH FD	99	17,203
PID100035FD	VFD NEMA 3R 100HP 575V 3 PH FD	143	20,883
PID125035FD	VFD NEMA 3R 125HP 575V 3 PH FD	143	25,087

Note: Select drives by service factor amps of pump motor

Pentek Intellidrive™ XL Pump Controller

NEMA 4X Enclosure - No Disconnect				
Catalog Number	Description	WT. LBS.	List Price	
PID001043ND	VFD NEMA 4X 1HP 230V 3 PH ND	31	\$2,831	
PID002043ND	VFD NEMA 4X 2HP 230V 3 PH ND	31	3,121	
PID003043ND	VFD NEMA 4X 3HP 230V 3 PH ND	31	3,301	
PID005043ND	VFD NEMA 4X 5HP 230V 3 PH ND	31	3,707	
PID007543ND	VFD NEMA 4X 7.5HP 230V 3 PH ND	51	4,344	
PID010043ND	VFD NEMA 4X 10HP 230V 3 PH ND	60	4,935	
PID015043ND	VFD NEMA 4X 15HP 230V 3 PH ND	30	5,927	
PID020043ND	VFD NEMA 4X 20HP 230V 3 PH ND	60	7,226	
PID025043ND	VFD NEMA 4X 25HP 230V 3 PH ND	99	8,958	
PID030043ND	VFD NEMA 4X 30HP 230V 3 PH ND	99	10,786	
PID040043ND	VFD NEMA 4X 40HP 230V 3 PH ND	99	13,378	
PID050043ND	VFD NEMA 4X 50HP 230V 3 PH ND	143	15,746	
PID060043ND	VFD NEMA 4X 60HP 230V 3 PH ND	143	18,945	
PID001044ND	VFD NEMA 4X 1HP 460V 3 PH ND	24	2,915	
PID002044ND	VFD NEMA 4X 2HP 460V 3 PH ND	24	3,089	
PID003044ND	VFD NEMA 4X 3HP 460V 3 PH ND	24	3,322	
PID005044ND	VFD NEMA 4X 5HP 460V 3 PH ND	24	3,636	
PID007544ND	VFD NEMA 4X 7.5HP 460V 3 PH ND	31	3,900	
PID010044ND	VFD NEMA 4X 10HP 460V 3 PH ND	31	4,331	
PID015044ND	VFD NEMA 4X 15HP 460V 3 PH ND	51	5,501	
PID020044ND	VFD NEMA 4X 20HP 460V 3 PH ND	51	6,364	
PID025044ND	VFD NEMA 4X 25HP 460V 3 PH ND	51	7,966	
PID030044ND	VFD NEMA 4X 30HP 460V 3 PH ND	60	9,485	
PID040044ND	VFD NEMA 4X 40HP 460V 3 PH ND	60	11,152	
PID050044ND	VFD NEMA 4X 50HP 460V 3 PH ND	99	14,286	
PID060044ND	VFD NEMA 4X 60HP 460V 3 PH ND	99	16,570	
PID075044ND	VFD NEMA 4X 75HP 460V 3 PH ND	99	18,636	
PID100044ND	VFD NEMA 4X 100HP 460V 3 PH ND	143	22,619	
PID125044ND	VFD NEMA 4X 125HP 460V 3 PH ND	143	26,004	
PID001045ND	VFD NEMA 4X 1HP 575V 3 PH ND	31	3,121	
PID002045ND	VFD NEMA 4X 2HP 575V 3 PH ND	31	3,288	
PID003045ND	VFD NEMA 4X 3HP 575V 3 PH ND	31	3,533	
PID005045ND	VFD NEMA 4X 5HP 575V 3 PH ND	31	3,887	
PID007545ND	VFD NEMA 4X 7.5HP 575V 3 PH ND	31	4,177	
PID010045ND	VFD NEMA 4X 10HP 575V 3 PH ND	31	4,665	
PID015045ND	VFD NEMA 4X 15HP 575V 3 PH ND	51	5,927	
PID020045ND	VFD NEMA 4X 20HP 575V 3 PH ND	51	6,911	

Note: Select drives by service factor amps of pump motor

Pentek Intellidrive™ XL Pump Controller

NEMA 4X Enclosure - No Disconnect			
Catalog Number	Description	WT. LBS.	List Price
PID025045ND	VFD NEMA 4X 25HP 575V 3 PH ND	51	\$8,667
PID030045ND	VFD NEMA 4X 30HP 575V 3 PH ND	60	10,315
PID040045ND	VFD NEMA 4X 40HP 575V 3 PH ND	60	12,156
PID050045ND	VFD NEMA 4X 50HP 575V 3 PH ND	99	15,373
PID060045ND	VFD NEMA 4X 60HP 575V 3 PH ND	99	18,295
PID075045ND	VFD NEMA 4X 75HP 575V 3 PH ND	99	20,496
PID100045ND	VFD NEMA 4X 100HP 575V 3 PH ND	143	24,646
PID125045ND	VFD NEMA 4X 125HP 575V 3 PH ND	143	28,520

Note: Select drives by service factor amps of pump motor

Pentek Intellidrive™ XL Pump Controller

NEMA 4X Enclosure - Fused Disconnect				
Catalog Number	Description	WT. LBS.	List Price	
PID001043FD	VFD NEMA 4X 1HP 230V 3 PH FD	31	\$4,956	
PID002043FD	VFD NEMA 4X 2HP 230V 3 PH FD	31	5,299	
PID003043FD	VFD NEMA 4X 3HP 230V 3 PH FD	31	5,552	
PID005043FD	VFD NEMA 4X 5HP 230V 3 PH FD	31	6,066	
PID007543FD	VFD NEMA 4X 7.5HP 230V 3 PH FD	51	6,432	
PID010043FD	VFD NEMA 4X 10HP 230V 3 PH FD	60	7,176	
PID015043FD	VFD NEMA 4X 15HP 230V 3 PH FD	30	8,440	
PID020043FD	VFD NEMA 4X 20HP 230V 3 PH FD	60	9,925	
PID025043FD	VFD NEMA 4X 25HP 230V 3 PH FD	99	12,159	
PID030043FD	VFD NEMA 4X 30HP 230V 3 PH FD	99	14,164	
PID040043FD	VFD NEMA 4X 40HP 230V 3 PH FD	99	19,488	
PID050043FD	VFD NEMA 4X 50HP 230V 3 PH FD	143	24,879	
PID060043FD	VFD NEMA 4X 60HP 230V 3 PH FD	143	31,130	
PID001044FD	VFD NEMA 4X 1HP 460V 3 PH FD	31	4,777	
PID002044FD	VFD NEMA 4X 2HP 460V 3 PH FD	31	4,999	
PID003044FD	VFD NEMA 4X 3HP 460V 3 PH FD	31	5,293	
PID005044FD	VFD NEMA 4X 5HP 460V 3 PH FD	31	5,626	
PID007544FD	VFD NEMA 4X 7.5HP 460V 3 PH FD	31	5,847	
PID010044FD	VFD NEMA 4X 10HP 460V 3 PH FD	31	6,258	
PID015044FD	VFD NEMA 4X 15HP 460V 3 PH FD	51	7,061	
PID020044FD	VFD NEMA 4X 20HP 460V 3 PH FD	51	8,044	
PID025044FD	VFD NEMA 4X 25HP 460V 3 PH FD	51	9,301	
PID030044FD	VFD NEMA 4X 30HP 460V 3 PH FD	60	10,661	
PID040044FD	VFD NEMA 4X 40HP 460V 3 PH FD	60	12,331	
PID050044FD	VFD NEMA 4X 50HP 460V 3 PH FD	99	15,284	
PID060044FD	VFD NEMA 4X 60HP 460V 3 PH FD	99	17,674	
PID075044FD	VFD NEMA 4X 75HP 460V 3 PH FD	99	19,876	
PID100044FD	VFD NEMA 4X 100HP 460V 3 PH FD	143	25,963	
PID125044FD	VFD NEMA 4X 125HP 460V 3 PH FD	143	32,999	
PID001045FD	VFD NEMA 4X 1HP 575V 3 PH FD	31	5,252	
PID002045FD	VFD NEMA 4X 2HP 575V 3 PH FD	31	5,283	
PID003045FD	VFD NEMA 4X 3HP 575V 3 PH FD	31	5,700	
PID005045FD	VFD NEMA 4X 5HP 575V 3 PH FD	31	6,089	
PID007545FD	VFD NEMA 4X 7.5HP 575V 3 PH FD	31	6,331	
PID010045FD	VFD NEMA 4X 10HP 575V 3 PH FD	31	6,784	
PID015045FD	VFD NEMA 4X 15HP 575V 3 PH FD	51	7,685	

Note: Select drives by service factor amps of pump motor

Pentek Intellidrive™ XL Pump Controller

NEMA 4X Enclosure - Fused Disconnect			
Catalog Number	Description	WT. LBS.	List Price
PID020045FD	VFD NEMA 4X 20HP 575V 3 PH FD	51	\$8,797
PID025045FD	VFD NEMA 4X 25HP 575V 3 PH FD	51	10,234
PID030045FD	VFD NEMA 4X 30HP 575V 3 PH FD	60	11,728
PID040045FD	VFD NEMA 4X 40HP 575V 3 PH FD	60	13,538
PID050045FD	VFD NEMA 4X 50HP 575V 3 PH FD	99	16,842
PID060045FD	VFD NEMA 4X 60HP 575V 3 PH FD	99	19,496
PID075045FD	VFD NEMA 4X 75HP 575V 3 PH FD	99	21,896
PID100045FD	VFD NEMA 4X 100HP 575V 3 PH FD	143	27,887
PID125045FD	VFD NEMA 4X 125HP 575V 3 PH FD	143	34,661

Note: Select drives by service factor amps of pump motor

Pentek® PPX Three Phase Pump Panels

Catalog Number	Description	List Price
208 VAC		
PPX-1A-13-30R	SIZE 1 STARTER, 208 V, 13.5 A	\$996
PPX-1A-27-30R	SIZE 1 STARTER, 208 V, 27 A	996
PPX-2A-50-60R	SIZE 2 STARTER, 208 V, 50 A	1,342
PPX-3A-70-100R	SIZE 3 STARTER, 208 V, 70 A	1,819
PPX-3A-135-100R	SIZE 3 STARTER, 208 V, 100 A	1,819
230-240 VAC		
PPX-1B-13-30R	SIZE 1 STARTER, 230/240 V, 13.5 A	996
PPX-1B-27-30R	SIZE 1 STARTER, 230/240 V, 27 A	996
PPX-2B-50-60R	SIZE 2 STARTER, 230/240 V, 50 A	1,342
PPX-3B-135-100R	SIZE 3 STARTER, 230/240 V, 100 A	1,819
460-480 VAC		
PPX-1C-13-30R	SIZE 1 STARTER, 460/480 V, 13.5 A	996
PPX-1C-27-30R	SIZE 1 STARTER, 460/480 V, 27 A	996
PPX-2C-50-60R	SIZE 2 STARTER, 460/480 V, 50 A	1,342
PPX-3C-70-100R	SIZE 3 STARTER, 460/480 V, 70 A	1,819
PPX-3C-135-100R	SIZE 3 STARTER, 460/480 V, 100 A	1,819
PPX-4C-135-200R	SIZE 4 STARTER, 460/480 V, 135 A	3,345
575-600 VAC		
PPX-1D-13-30R	SIZE 1 STARTER, 575/600 V, 13.5 A	996
PPX-2D-50-60R	SIZE 2 STARTER, 575/600 V, 50 A	1,342
PPX-3D-135-100R	SIZE 3 STARTER, 575/600 V, 100 A	1,819

Note: Select drives by service factor amps of pump motor

This page intentionally left blank.

This page intentionally left blank.



293 WRIGHT STREET, DELAVAN, WI 53115 www.BerkeleyPumps.com
PH: 888-237-5353 ORDERS FAX: 800-321-8793

Because we are continuously improving our products and services, Pentair reserves the right to change specifications without prior notice.

© 2017 Pentair plc. All Rights Reserved.